



NOTES

1. AN E0954, EMERGENCY CART, AND A M7660, DEFIBRILLATOR, SHALL BE IN THE VICINITY OF THE DIALYSIS STATIONS.
2. M7850, CENTRAL PHYSIOLOGICAL MONITOR, AND M7845, BEDSIDE PHYSIOLOGICAL MONITOR, MAY BE ADDED. VERIFY WITH USER.
3. A M4030, SIT/STAND SCALE, AND A M3150, AUTOMATIC MEDICATION DISTRIBUTION SYSTEM, SHALL BE IN THE VICINITY OF THE DIALYSIS STATIONS.

KEY NOTES

1. PB705, DIALYSIS BOX, WITH COLD WATER AND DRAIN.
2. PROVIDE A1165, IV TRACKS, FOR NAVY PROJECTS ONLY.
3. P3200, UTR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION. PROVIDE ONE P3100 AND ACCESSORIES FOR EVERY 2 DIALYSIS STATIONS.
4. SEE ELEVATION OF A1107, UTILITY RAIL SYSTEM, FOR UTILITIES.

RENAL DIALYSIS STATION, CHAIR (RDC01)

SPECIALTY MEDICAL CLINICS

FLOOR/EQUIPMENT PLAN 13.40 NSM (144 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)